

**100%** Money Back  
**Guarantee**

**Vendor:**EMC

**Exam Code:**DES-6321

**Exam Name:**Specialist - Implementation Engineer -  
VxRail Appliance Exam

**Version:**Demo

### QUESTION 1

A customer is configuring VxRail to connect to an existing, external SRS VE. Their support account is associated with the Site ID/Party ID where VxRail is installed. A validation error is issued when the customer attempts to register VxRail in SRS.

What is the possible cause for the error?

- A. Status of VxRail in Install Base is `Shipped\`
- B. Wrong IP address was used for SRS VE gateway
- C. SRS traffic goes through a proxy server
- D. Number of deployed devices on SRS gateway has exceeded the maximum

Correct Answer: B

Reference: <https://www.dell.com/community/VxRail/ESRS-on-VxRail-Manager/td-p/7147964>

---

### QUESTION 2

A VxRail Stretched Cluster will be configured with four All-Flash nodes at each site based on the following requirements:

PFTT = 1 SFTT = 1 FTM = Erasure Coding

Based on the required usable capacity, what should be the planned capacity of the design?

- A. Single Site Capacity = 150% Total Cluster Capacity = 300%
- B. Single Site Capacity = 133% Total Cluster Capacity = 266%
- C. Single Site Capacity = 100% Total Cluster Capacity = 200%
- D. Single Site Capacity = 200% Total Cluster Capacity = 400%

Correct Answer: C

---

### QUESTION 3

In a VxRail Stretched Cluster built from eight all-flash nodes, what should be the recommended storage policy to ensure the highest possible protection?

- A. Raid-1(Mirroring) FTT=1
- B. Raid-1(Mirroring) FTT=2
- C. Raid-5/6(Erasure Coding) FTT=1

D. Raid-5/6(Erasure Coding) FTT=2

Correct Answer: B

---

#### **QUESTION 4**

What software component is part of the VxRail Operations and Management Stack?

- A. VMware vCenter
- B. vRealize Automation
- C. Secure Remote Services
- D. vRealize Operations

Correct Answer: A

---

#### **QUESTION 5**

When using the RASR method to reset a VxRail node, which boot device is selected?

- A. RASRUSB
- B. SATADOM
- C. IDRAC SD CARD
- D. IDSDM

Correct Answer: D

---

#### **QUESTION 6**

What are the categories that can be validated by the VxRail NVT?

- A. Network Services, ToR Switches, and Upstream Switches
- B. VxRail Appliance, ToR Switches, and Upstream Switches
- C. ToR Switches and Upstream Switches only
- D. VxRail Appliance, Network Services, and ToR Switches

Correct Answer: A

---

#### **QUESTION 7**

View the Exhibit.

ISL Settings	Example Value Only	Actual Detail
ISL port speed	Choose from list, 10G or 40G	10G
ISL port Number	"17-19" for port number from 17 to 19 or "17-19", "22" for port number from 17 to 19 and 22 or "49-51" for port number from 49 to 51	"1-2"

You are reviewing a VxRail Pre-Installation Site Checklist.

What conclusion can be drawn about the VxRail deployment from the exhibit?

- A. Top of Rack (ToR) switches will use two uplink ports
- B. Upstream switches will have two ISLs
- C. Two Top of Rack (ToR) switches will be used
- D. Two Upstream switches will be used

Correct Answer: B

---

#### QUESTION 8

A company intends to deploy VxRail for their heavy database workloads. Which type of VxRail nodes should be recommended?

- A. E Series
- B. P Series
- C. V Series
- D. S Series

Correct Answer: B

[https://www.dellemc.com/hu-hu/converged- infrastructure/vxrail/index.htm#collapse=](https://www.dellemc.com/hu-hu/converged-infrastructure/vxrail/index.htm#collapse=)

---

#### QUESTION 9

An implementation engineer is attempting to add a new node to a 3 node VxRail cluster.

What is the minimum VxRail code version that no longer requires the fourth node to match the first three nodes?

- A. 4.0.302
- B. 4.0.502
- C. 4.5.070
- D. 4.5.150

Correct Answer: D

**QUESTION 10**

What is a requirement for Top of Rack (ToR) switch VxRail node ports?

- A. Enable Spanning Tree
- B. Disable IGMP Snooping
- C. Enable IGMP Querier
- D. Disable Link Aggregation

Correct Answer: D

---

**QUESTION 11**

What is a benefit of using the VxRail REST API?

- A. Continuous polling for performance statistics
- B. Automate security audit of VxRail appliances
- C. Remote upgrade of iDRAC related software only
- D. Programmatically gather VxRail system health

Correct Answer: B

---

**QUESTION 12**

What is a consideration for using link aggregation on the Top of Rack (ToR) switch for a VxRail?

- A. Should not be used for VxRail node ports, but can be used for uplink and ISL
- B. Is not supported on the VxRail ToR switch
- C. Can be configured for any connectivity, but are not required
- D. Should always be configured for VxRail node ports to allow for failover

Correct Answer: A

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

**100%** Guaranteed Success

**100%** Money Back Guarantee

**365** Days Free Update

**Instant Download** After Purchase

**24x7** Customer Support

Average **99.9%** Success Rate

More than **800,000** Satisfied Customers Worldwide

Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.